

View Online at <https://aerobasegroup.com/nsn/2320-01-304-4290>

Cylinder Quantity:

Any acceptable

Battery Quantity:

Any acceptable

End Application:

81349--mil-t-62491

Wheel Quantity:

4

Drive Wheel Quantity:

4

Prime Mover Type:

Any acceptable

Engine Brake Horsepower:

Any acceptable

Battery Voltage Rating In Volts:

12.0

Reverse Speed Quantity:

Any acceptable

Transmission Type:

Any acceptable

Seating Capacity:

Any acceptable

Boom Operation Method:

Any acceptable

Rated Load Capacity:

5.00 tons

Drive Axle Location:

Front or rear

Axle Drive Type:

Conventional

Axle Speed Quantity:

1

Front Axle Engaging Mechanism Type:

Manual

Rear Wheel Mounting Type:

Dual

Wheelbase:

142.00 inches

Front Wheel Tread Width:

72.50 inches

Rear Wheel Tread Width:

80.00 inches

Transmission Adjunct Type:

Any acceptable

Winch Location:

Any acceptable

Boom Type:

Single fixed

Boom Maximum Length:

143.00 inches

Boom Operational Direction:

Any acceptable

Crane Operation Type:

Any acceptable

Load Lifting Capacity Rating:

10000.0 pounds

Load Lifting Method:

Any acceptable

Cab Type:

Any acceptable

Brake Actuation Method:

Any acceptable

Vehicle Maximum Gross Weight:

10000.00 pounds

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A37500

Mil-std (military Standard):

Mil-t-62491 spec.