

View Online at <https://aerobasegroup.com/nsn/2320-01-354-4528>

Cylinder Quantity:

6

End Application:

5 ton; 6x6; mtv-w/e; model 1089

Wheel Quantity:

6

Drive Wheel Quantity:

6

Prime Mover Type:

Diesel engine

Engine Brake Horsepower:

295.0

Engine Horsepower Rating Speed In Rpm:

2600.0

Transmission Type:

Automatic

Seating Capacity:

3

Boom Operation Method:

Power

Gypsy Head:

Not included

Drive Axle Location:

Front and rear

Axle Drive Type:

Conventional

Rear Wheel Mounting Type:

Single

Wheelbase:

236.22 inches

Front Wheel Tread Width:

79.00 inches

Rear Wheel Tread Width:

79.00 inches

Multifuel Design Feature:

Not included

Winch Location:

Behind cab

Winch Type:

Single drum

Boom Type:

Single telescoping

Boom Operational Direction:

Rotating and elevating

Crane Operation Type:

Cable

Cab Type:

Conventional

Cab Roof Type:

Closed

Brake Actuation Method:

Air

Cab Door Quantity:

2

Special Features:

High altitude electromagnetic pulse survivable; secure blackout lighting; transportable via aircraft and helicopter; transportable via air and railworldwide; deliverable via lapes and air drop

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A37500