## NSN 2510-00-737-9577

Suspension Torsion Bar - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2510-00-737-9577

Overall Length:
Between 72.125 inches and 72.375 inches
Outside Diameter:
Between 1.430 inches and 1.450 inches
First End Thread Class:
2b
First End Thread Direction:
Right-hand
Second End Chamfer Length:
0.875 inches
First End Pitch Diameter:
2.850 inches
First End Internal Thread Length:
0.875 inches
Second End Pitch Diameter:
2.750 inches
Cover:
Provided
First End Thread Size:
1/2-20
First End Thread Series/type Designator:
=
Unf
Unf
Unf Construction:
Unf Construction: Solid
Unf Construction: Solid Twist Direction:
Unf Construction: Solid Twist Direction: Clockwise
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter: 2.845 inches
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter: 2.845 inches First End Pressure Angle In Deg:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter: 2.845 inches First End Pressure Angle In Deg: 48.44
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter: 2.845 inches First End Pressure Angle In Deg: 48.44 Second End Cross-sectional Shape:
Unf Construction: Solid Twist Direction: Clockwise First End Cross-sectional Shape: Serrated First End Teeth Quantity: 57 First End Serration Length: 1.125 inches First End Major Diameter: 2.845 inches First End Pressure Angle In Deg: 48.44 Second End Cross-sectional Shape: Serrated

1.125 inches

## **NSN 2510-00-737-9577**Suspension Torsion Bar - Page 2 of 2



Second End Major Diameter:
2.750 inches
Second End Pressure Angle In Deg:
48.44
Solid Bar End Characteristic At First End:
Threaded hole
Cover Outside Diameter:
2.625 inches
Coverlength:
66.625 inches
Bar End To Cover Largest Length:
3.000 inches
Material:
Steel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T307-r