NSN 2510-01-161-5348

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2510-01-161-5348 **Body Material:** Aluminum **Tempurature Rating:** Not rated **Bore Diameter:** 2.500 inches **Body Outside Diameter:** 2.750 inches **Overall Diameter:** 2.750 inches **Compressed Length:** 14.500 inches **Extended Length:** 26.125 inches **Pressure Rating:** Between 80.0 pounds per square inch and 120.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 1.375 inches First Piston Rod End Thready Qty Per Inch (tpi): **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Rod piston rod end **Port Location And Quantity:** 2 center section Port Style: High pressure flare **Port Thread Series Designator:** Nptf

Shelf Life:

N/a

NSN 2510-01-161-5348

Linear Actuating Cylinder Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200