

View Online at <https://aerobasegroup.com/nsn/2510-01-651-5392>

Slot Width:

0.437 inches

Slot Length:

0.880 inches

Overall Length:

51.620 inches

Overall Height:

39.880 inches

Mounting Hole Type:

Thru hole all holes

Overall Thickness:

0.125 inches

End Application:

4930-01-517-6942, pumping unitcentrifugalfueling/defueling

Mounting Method:

Bolt

Mounting Position:

Auxiliary equipment support

Product Name:

Panel assembly, engine

Vehicle Design Control Activity:

98255

Vehicle Identification Designator:

810650-301

Material:

Aluminum alloy 6061, type 6 and aluminum and stainless steel

Material Specification:

Qq-a-250/11 national standard 1st material response or astm b209 assn standard 1st material response and qq-a-250/11 national standard 2nd material response or astm b209 assn standard 2nd material response and qqams qq-a-200/8 national standard 3rd material response and ams b221 national standard 3rd material response and ams qq-a250/11 national standard 3rd material response and astm b209 assn standard 3rd material response and qq-a-250/11 national standard 4th material response or astm b209 assn standard 4th material response and ams 5513 national standard 5th material response or astm a240 national standard 5th material response

Surface Treatment Specification:

Mil-dtl-5541, type ii class 3 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A507r0

Mil-std (military Standard):

Mil-dtl-5541 spec.