

View Online at <https://aerobasegroup.com/nsn/2520-00-150-7404>

Unable To Decode:

Unable to decode and unable to decode

Outside Diameter:

8.500 inches

Overall Length:

0.880 inches

Thickness:

Between 0.040 inches and 0.043 inches

Material Thickness:

Between 0.127 inches and 0.131 inches

Spline Quantity:

13

Bolt Hole Quantity:

6

Pitch Diameter:

0.8125 inches

Bolt Hole Diameter:

Between 0.194 inches and 0.198 inches

Design Type:

Dry

Material Location:

Both sides

Design Form:

Solid

Spline Pressure Angle In Deg:

30.0

Spline Type:

Involute

Bolt Hole Spacing:

Equally spaced on 3.781 in. Diameter bolt circle

Disk Type:

Plain

Material Outside Diameter:

Between 8.470 inches and 8.530 inches

Material Inside Diameter:

Between 5.340 inches and 5.410 inches

Facing Attachment Method:

Riveted

Damper Spring Quantity:

6

Distance From Flywheel Face To Rear Of Hub:

0.086 inches

Features Provided:

Friction material facing and material facing groove

Construction:

Solid

Disk Material:

Steel

Special Features:

Damper spring encasement provision included; integral hub included; bolt hole included

Flexibility:

Flexible

Fsc Application Data:

Clutch, friction, vehicular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A521p0