## NSN 2520-00-431-6464

Vehicular Clutch Disk - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2520-00-431-6464

	Dutside Diameter:		
	5.500 inches		
	Overall Length:		
	.118 inches		
Т	hickness:		
0	.085 inches		
N	laterial Thickness:		
0	.210 inches		
S	pline Quantity:		
1	2		
F	Pitch Diameter:		
1	.8750 inches		
C	Design Type:		
C	Dry		
N	laterial Location:		
E	Both sides		
C	Design Form:		
S	Solid		
S	pline Pressure Angle In Deg:		
4	5.0		
S	pline Type:		
h	nvolute		
C	Disk Type:		
F	Plain		
A	sbestos Composition Type:		
Ν	letal impregnated		
N	laterial Outside Diameter:		
1	5.500 inches		
N	laterial Inside Diameter:		
9	.000 inches		
F	acing Attachment Method:		
F	Riveted		
C	Damper Spring Quantity:		
	2		
C	Distance From Flywheel Face To Rear Of Hub:		
0	.950 inches		
F	eatures Provided:		
F	riction material facing		
	Construction:		
S	Solid		
C	Disk Material:		
S	iteel		

## NSN 2520-00-431-6464

Vehicular Clutch Disk - Page 2 of 2



## **Special Features:**

Damper spring encasement provision included; integral hub included

Flexibility:

Flexible

Material:

Asbestos

Furnished Items And Quantity:

12 damper spring

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A521p0