

View Online at <https://aerobasegroup.com/nsn/2520-00-737-4987>

Overall Length:

Between 29.6775 inches and 29.7275 inches

First End Thread Direction:

Right-hand

First End Taper:

1.000 inches per foot

First End Taper Major Diameter:

1.373 inches

First End Keyway Width:

Between 0.2485 inches and 0.2505 inches

First End Keyway Depth:

Between 0.127 inches and 0.137 inches

First End Bearing Seat Diameter:

Between 1.378 inches and 1.380 inches

First End Distance From Bearing Seat To End:

Between 4.031 inches and 5.500 inches

Second End Spline Length:

1.500 inches

Second End Spline Minor Diameter:

Between 1.039 inches and 1.049 inches

Second End Spline Major Diameter:

Between 1.271 inches and 1.281 inches

First End Type:

Tapered

Second End Type:

Splined

First End Thread Size:

1-14

First End Thread Series:

Unc

Second End Spline Quantity:

10

First End Facility Diameter:

Between 1.562 inches and 1.625 inches

First End Engaging/locking/positioning Facility:

Shoulder

First End Facility Width:

0.125 inches

First End Facility Location:

Located 5-1/4 in. From shaft end

First End Bearing Seat:

Included

First End Bearing Seat Width:

Between 1.000 inches and 1.219 inches

Second End Spline Type:

Straight

Second End Bearing Seat:

Not included

First End Pin Hole Diameter:

0.172 inches

Material:

Steel, sae 1033

Material:

Steel comp 1033

Material Specification:

Sae 1033 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T306-d