

View Online at <https://aerobasegroup.com/nsn/2520-00-773-4128>

Thread Class:

2a both ends

Thread Direction:

Right-hand both ends

Overall Length:

80.063 inches

Thread Depth:

0.375 inches second end

Tip Length:

1.769 inches and 1.831 inches first end

Shank Outside Diameter:

0.688 inches first end

Core Material:

Steel

Screw Thread Series Designator:

Uns both ends

Core Surface Treatment:

Copper plated

Core Diameter:

0.130 inches

Thread Location:

Internal first end

End Type:

Square male both ends

End Connection Type:

Threaded internal first end

Setscrew:

Not included both ends

Casing Material:

Steel

Cross Section Size And Location:

0.101 inches diameter and 0.104 inches diameter first end

Torsional Deflection Rating:

50 degrees ft-lb in. Winding, 25 degrees ft-lb in. Unwinding

Casing Surface Treatment:

Zinc coated

Casing Length Between Ferrules:

79.000 inches

Casing Outside Diameter:

0.243 inches

Swivel End:

Provided both ends

Enddiameter:

1.031 inches first end

Lubrication Fitting:

Not provided both ends

Corelength:

80.063 inches

Core Rotation Direction:

Clockwise

Core Removability:

Removable

Fsc Application Data:

Transmissions, mechanical, vehicular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T246-e