

View Online at <https://aerobasegroup.com/nsn/2520-00-781-3438>

Overall Length:

Between 20.125 inches and 20.249 inches

Metallic Hardness Rating:

38.0 rockwell c and 42.0 rockwell c

First End Spline Length:

Between 1.219 inches and 1.343 inches

First End Spline Minor Diameter:

Between 0.940 inches and 0.950 inches

First End Spline Major Diameter:

Between 1.130 inches and 1.136 inches

Second End Spline Length:

Between 1.740 inches and 1.750 inches

Second End Spline Minor Diameter:

Between 0.904 inches and 0.909 inches

Second End Spline Major Diameter:

Between 1.122 inches and 1.124 inches

First End Type:

Splined

Second End Type:

Splined

First End Spline Quantity:

6

Second End Spline Quantity:

10

First End Facility Diameter:

Between 0.785 inches and 0.805 inches

First End Engaging/locking/positioning Facility:

Locking device groove

First End Facility Width:

Between 0.208 inches and 0.228 inches

First End Facility Location:

0.231 in. From shaft end

First End Bearing Seat:

Not included

Second End Spline Type:

Straight

Second End Bearing Seat:

Not included

First End Spline Type:

Straight

Material:

Steel, qq-s-624, fs4340-canceled

Material:

Steel comp 4340

Material Specification:

Qq-s-624, fs4340-canceled federal specification single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T306-d