NSN 2520-01-128-5667

Vehicular Clutch Disk - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2520-01-128-5667

view Offilite at https://defobasegroup.com/hsh/2520-01-120-5007
Spline Major Diameter:
7.622 inches
Thickness:
Between 0.157 inches and 0.163 inches
Material Thickness:
0.020 inches
End Application:
2350-01-087-1095
Largest Outside Diameter:
7.622 inches
Angle Between Lugs In Deg:
20.000
Design Type:
Dry
Material Location:
Both sides
Tooth Arrangement:
Sets equally spaced
Design Form:
Solid
Disk Type:
Internal teeth
Material Inside Diameter:
6.500 inches
Section Quantity Per Side:
1
Teeth Set Quantity:
1
Teeth Quantity Per Set:
48
Teeth Quantity Per Disk:
48
Teeth Pitch Diameter:
0.266 inches
Features Provided:
Friction material facing and material facing groove
Construction:
Solid
Special Features:
66 right and left hand groves equally spaced by generating with 7, 8, 9, on 10 partial diamonds when measured along groves from id and oc
of facing both sides

Rigid

Flexibility:

NSN 2520-01-128-5667

Vehicular Clutch Disk - Page 2 of 2



NΛ	ate	ria	ı -
IVI	ale	110	I.

Steel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A521p0