## NSN 2530-00-063-1364

Pneumatic Tire Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-063-1364

Groove Depth:
1.116 inches
Overall Length:
Between 5.156 inches and 5.219 inches
Overall Width:
Between 6.250 inches and 6.640 inches
Bearing Surface Width:
0.9063 inches
Rim Style:
Curved base
Design Type:
Divided wheel
Design Form:
Disk
Hub:
Included
Bearings:
Included
Mounting Type For Which Designed:
Single tire
Bearing Quantity:
1
Bearing Inside Diameter:
1.625 inches
Hole Location:
Located 1 in. From centerline of wheel
Metal Thickness:
Between 0.1793 inches and 0.1875 inches
Disk Type:
Double
Lightening Hole:
Not included
Bearing Type:
Roller
Valve Hole Shape:
Round
Tire Rim Diameter:
10.000 inches
Tire:
Not included
Rim Style:

15

## **NSN 2530-00-063-1364**Pneumatic Tire Wheel - Page 2 of 2



Hub Characteristic:
Demountable
Lubrication Fitting:
Not provided
Axle Recess Major Diameter:
Between 2.625 inches and 2.656 inches
Axle Recess Minor Diameter:
Between 2.062 inches and 2.094 inches
Sand Band Recess Diameter:
Between 3.061 inches and 3.063 inches
Bearing Recess Diameter:
Between 2.4395 inches and 2.9995 inches
Sand Band Recess Depth:
Between 0.658 inches and 0.668 inches
Special Features:
Bearing recess depth 1.5693 in. Nom, 0.7745 in. Nom
Fsc Application Data:
Wheels, vehicular, nondriving
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T307-s