NSN 2530-00-294-4244

Friction Lining - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-294-4244 **Fabrication Method:** Woven **Major Diameter:** Between 9.985 inches and 10.015 inches Thickness: Between 0.122 inches and 0.128 inches **Hole Arrangement Style:** Indefinite **Mounting Hole Diameter:** 0.172 inches **Thru-hole Diameter:** 0.312 inches Strengthening Feature: Interwoven wire **Minor Diameter:** Between 5.959 inches and 6.031 inches **Friction Lining Material:** Asbestos-metallic composition **Lining Style:** Clutch disk **Application Type:** Dry **Hole Type And Quantity:** 18 counterbored and 18 thru-hole **Mounting Hole Circle Diameter:** 8.688 inches and 7.000 inches **Features Provided:** Rigid friction lining **Surface Condition And Location:** One side grooved **Circular Pattern Hole Type And Quantity:** 9 counterbored outer securing circle and 9 thru-hole outer securing circle **Attachment Method: Bolted Special Features:** Holes on two circles grouped in two pairs alternate pairscounterbored Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 2530-00-294-4244 Friction Lining - Page 2 of 2



Fiig:

A230a0