## NSN 2530-00-392-4422

**Cross Sectional Shape:** 

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-392-4422

i-section type
Fabrication Method:
Forged
Shaft Connecting End Style:
Automotive standard split bearing 2 bolt
End Thickness:
0.797 inches
Edge Radius:
0.469 inches
End Hole Inside Diameter:
0.625 inches
Piston Connecting End Bearing:
Included
Bearing Replaceability:
Replaceable
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Full forced-feed
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
1.250 inches
Shaft Connecting End Edge Radius:
0.844 inches
Shaft Connecting End Width:
2.375 inches
Shaft Connecting End Thickness:
1.047 inches
Shaft Connecting End Bearing Replaceability:
Replaceable
Shaft Connecting End Lubrication Drill Feature:
Not included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
3.750 inches
Body Width At Piston Connecting End:
0.750 inches
Body Width At Shaft Connecting End:
1.031 inches

## NSN 2530-00-392-4422

Piston Connecting Rod - Page 2 of 2



## Body Thickness At Piston Connecting End: 0.688 inches Body Thickness At Shaft Connecting End: 0.688 inches Piston End Connection Style: Small engine and automotive standard Material: Aluminum alloy Material: Aluminum alloy Shelf Life: N/a Unit Of Measure: - Demilitarization:

No **Fiig:** T267-d