NSN 2530-00-606-0098

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-606-0098 **Body Material:** Steel First End Outside Diameter: 0.937 inches **Mounting Provision:** Pin **Mounting Facility Length:** 1.987 inches **Bore Diameter:** 3.000 inches **Body Outside Diameter:** 3.360 inches **Overall Diameter:** 3.360 inches First End External Thread Length: 1.250 inches **Compressed Length:** 17.812 inches **Extended Length:** 27.812 inches **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.875 inches First Piston Rod End Thready Qty Per Inch (tpi):

First Piston Rod End Thread Class: 2a **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:** Trunnion cylinder head end **Mounting Facility Diameter:** 0.878 inches **Port Location And Quantity:** 1 piston rod end

NSN 2530-00-606-0098

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Plain
Port Thread Series Designator:
Nptf
Port Pipe Thread Size:
0.875 inches
Special Features:
Furnished with 1 each ball socket p/n 230
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A34200