NSN 2530-00-622-6134

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-622-6134 **Body Material:** Steel First End Outside Diameter: 2.750 inches **Bore Diameter:** Any acceptable **Overall Diameter:** 5.000 inches Seat Angle In Deg: Any acceptable First End Hole Diameter: 1.250 inches First End Thickness At Mounting Holes: 2.000 inches **Compressed Length:** 22.000 inches **Extended Length:** Any acceptable **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: Bearing type Piston Rod End Similarity: Identical **Mounting Type And Location:** Bearing cylinder head end **Port Location And Quantity:** 2 center section Port Style: **Port Thread Series Designator:** Unf **Port Thread Diameter:** 0.812 inches Port Thready Qty Per Inch (tpi): 16 **Port Thread Class:** 2b

Shelf Life: N/a

NSN 2530-00-622-6134

Linear Actuating Cylinder Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A34200