NSN 2530-00-678-2994

Pneumatic Tire Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-678-2994

Groove Depth:
1.875 inches
Overall Width:
Between 5.510 inches and 5.630 inches
Mounting Hole Diameter:
Between 0.545 inches and 0.565 inches
Mounting Hole Quantity:
5
Mounting Bolt Circle Diameter:
Between 5.497 inches and 5.503 inches
Pilot Hole Diameter:
Between 3.935 inches and 3.940 inches
Rim Style:
Full drop center
Design Type:
Integral rim
Design Form:
Disk
Hub:
Not included
Bearings:
Not included
Mounting Type For Which Designed:
Single tire
Hole Location:
Located in center of rim
Metal Thickness:
0.250 inches
Disk Type:
Single
Lightening Hole:
Included
Valve Hole Shape:
Round
Tire Rim Diameter:
16.000 inches
Tire:
Not included
Mounting Face Type:
Concave
Offset Distance From Rim Centerline To Outside Wheel Mounting Face:
1 880 inches

1.880 inches

NSN 2530-00-678-2994

Pneumatic Tire Wheel - Page 2 of 2



Rim Style:
12
Hub Characteristic:
Demountable
Lightening Hole Quantity:
5
Lightening Hole Hub Cap Mounting Feature:
Not included
Fsc Application Data:
Vehicular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T307-s