NSN 2530-00-703-2077

Pneumatic Tire Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-703-2077 **Inside Diameter:** Any acceptable Slot Depth: Any acceptable **Groove Depth:** 1.250 inches **Overall Height:** Any acceptable **Overall Width:** 6.250 inches **Mounting Hole Diameter:** Any acceptable **Mounting Hole Quantity:** Ring Style: Rim side ring slotted **Effective Width:** 5.500 inches **Mounting Bolt Circle Diameter:** 7.250 inches **Pilot Hole Diameter:** Any acceptable Rim Style: Drop center lock **Design Type:** Divided rim **Design Form:** Disk Hub: Not included **Mounting Facility Type And Quantity:** 6 bolt hole Ring: Included **Mounting Type For Which Designed:** Dual tire **Hole Location:** Centered Disk Type: Single

Inside Circumference:Any acceptable

NSN 2530-00-703-2077Pneumatic Tire Wheel - Page 2 of 2



| Lightening Hole: |
|---|
| Included |
| Valve Hole Shape: |
| Round |
| Tire Rim Diameter: |
| 17.000 inches |
| Tire: |
| Not included |
| Mounting Face Type: |
| Convex |
| Offset Distance From Rim Centerline To Outside Wheel Mounting Face: |
| Any acceptable |
| Rim Style: |
| 32 |
| Ring Type For Which Designed: |
| Side-lock |
| Bolt/stud Mounting Facility: |
| Not included |
| Hub Characteristic: |
| Demountable |
| Lightening Hole Quantity: |
| 3 |
| Lightening Hole Hub Cap Mounting Feature: |
| Not included |
| Mounting Facility Bolt Circle Diameter: |
| 7.250 inches |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T307-s |
| |