NSN 2530-00-703-2077

Pneumatic Tire Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-703-2077 **Inside Diameter:** Any acceptable Slot Depth: Any acceptable **Groove Depth:** 1.250 inches **Overall Height:** Any acceptable **Overall Width:** 6.250 inches **Mounting Hole Diameter:** Any acceptable **Mounting Hole Quantity:** Ring Style: Rim side ring slotted **Effective Width:** 5.500 inches **Mounting Bolt Circle Diameter:** 7.250 inches **Pilot Hole Diameter:** Any acceptable Rim Style: Drop center lock **Design Type:** Divided rim **Design Form:** Disk Hub: Not included **Mounting Facility Type And Quantity:** 6 bolt hole Ring: Included **Mounting Type For Which Designed:** Dual tire **Hole Location:** Centered Disk Type: Single

Inside Circumference:Any acceptable

NSN 2530-00-703-2077Pneumatic Tire Wheel - Page 2 of 2



Lightening Hole:
Included
Valve Hole Shape:
Round
Tire Rim Diameter:
17.000 inches
Tire:
Not included
Mounting Face Type:
Convex
Offset Distance From Rim Centerline To Outside Wheel Mounting Face:
Any acceptable
Rim Style:
32
Ring Type For Which Designed:
Side-lock
Bolt/stud Mounting Facility:
Not included
Hub Characteristic:
Demountable
Lightening Hole Quantity:
3
Lightening Hole Hub Cap Mounting Feature:
Not included
Mounting Facility Bolt Circle Diameter:
7.250 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T307-s