NSN 2530-00-738-9620

Pneumatic Tire Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-738-9620

Inside Diameter:

Any acceptable

Slot Depth:

Any acceptable

Groove Depth:

1.609 inches

Overall Height:

Any acceptable

Overall Width:

8.938 inches

Mounting Hole Diameter:

1.250 inches

Mounting Hole Quantity:

6

Ring Style:

Rim side ring slotted

Effective Width:

7.563 inches

7.000 mones

Mounting Bolt Circle Diameter: 8.750 inches

End Application:

Model no. Mb5

Pilot Hole Diameter:

Between 6.469 inches and 6.473 inches

Design Type:

Integral rim

Design Form:

Disk

Hub:

Not included

Ring:

Not included

Mounting Type For Which Designed:

Single tire

Disk Type:

Single

Inside Circumference:

Any acceptable

Lightening Hole:

Included

Valve Hole Shape:

Slotted

NSN 2530-00-738-9620

Pneumatic Tire Wheel - Page 2 of 2



Tire Rim Diameter:
20.000 inches
Tire:
Not included
Mounting Face Type:
Convex
Offset Distance From Rim Centerline To Outside Wheel Mounting Face:
6.250 inches
Rim Style:
26
Ring Type For Which Designed:
Side
Bolt/stud Mounting Facility:
Not included
Hub Characteristic:
Demountable
Lightening Hole Quantity:
6
Lightening Hole Hub Cap Mounting Feature:
Not included
Item Type Category:
Inner rim
Fsc Application Data:
Vehicular wheel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T307-s