

View Online at <https://aerobasegroup.com/nsn/2530-00-774-0758>

Major Diameter:

1.000 inches

Diameter:

1.750 inches

Design Type:

Ball bearing screw, nut-sector

Gear Ratio:

23.6 to 1

Ball Diameter:

Between 0.990 inches and 0.995 inches

Power Actuation Design Feature:

Not included

Steering Arm Shaft End Location:

Left of housing

Steering Wheel:

Not included

Wheel Shaft End Type:

Tapered-keyed

Steering Wheel Shaft Tube:

Included

Distance From Tube End To Shaft Threaded Portion:

1.359 inches

Steering Arm:

Included

Steering Arm Ball Turning Direction:

Away from housing

Maximum Travel In Deg:

85 deg

Arm Shaft Centerline To Ball Stud Centerline Distance:

7.000 inches

Wheel Shaft Centerline To Ball Stud Centerline Distance:

9.609 inches

Steering Arm Shaft Centerline To Steering Wheel Shaft End Distance:

48.125 inches

Steering Wheel Shaft Centerline To Steering Arm Shaft End Distance:

7.375 inches

Steering Arm Type:

Offset

Horn Cable:

Not included

Horn Button:

Not included

Taper:

1.000 per foot in inches

Fsc Application Data:

Steering gear, truck

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T307-j