

View Online at <https://aerobasegroup.com/nsn/2530-00-774-0758>

**Major Diameter:**

1.000 inches

**Diameter:**

1.750 inches

**Design Type:**

Ball bearing screw, nut-sector

**Gear Ratio:**

23.6 to 1

**Ball Diameter:**

Between 0.990 inches and 0.995 inches

**Power Actuation Design Feature:**

Not included

**Steering Arm Shaft End Location:**

Left of housing

**Steering Wheel:**

Not included

**Wheel Shaft End Type:**

Tapered-keyed

**Steering Wheel Shaft Tube:**

Included

**Distance From Tube End To Shaft Threaded Portion:**

1.359 inches

**Steering Arm:**

Included

**Steering Arm Ball Turning Direction:**

Away from housing

**Maximum Travel In Deg:**

85 deg

**Arm Shaft Centerline To Ball Stud Centerline Distance:**

7.000 inches

**Wheel Shaft Centerline To Ball Stud Centerline Distance:**

9.609 inches

**Steering Arm Shaft Centerline To Steering Wheel Shaft End Distance:**

48.125 inches

**Steering Wheel Shaft Centerline To Steering Arm Shaft End Distance:**

7.375 inches

**Steering Arm Type:**

Offset

**Horn Cable:**

Not included

**Horn Button:**

Not included

**Taper:**

1.000 per foot in inches

**Fsc Application Data:**

Steering gear, truck

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T307-j