NSN 2530-00-789-4888

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-789-4888 **Body Material:** Steel First End Outside Diameter: 0.930 inches **Tempurature Rating:** Not rated **Overall Height:** 2.800 inches **Overall Width:** 2.785 inches **Bore Diameter:** 1.625 inches **Body Outside Diameter:** 2.732 inches Seat Angle In Deg: 45.0 First End External Thread Length: 1.385 inches **Compressed Length:** 18.750 inches **Extended Length:** 27.500 inches **Pressure Rating:** Not rated **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unef First Piston Rod End Thread Diameter: 0.938 inches First Piston Rod End Thready Qty Per Inch (tpi): 20 **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:** Right-hand **Mounting Type And Location:**

Mounting Type And Location
Ball socket cylinder head end
Port Location And Quantity:

2 piston rod end

NSN 2530-00-789-4888

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Inverted flare
Port Thread Series Designator:
Unf
Port Thread Diameter:
0.625 inches
Port Thready Qty Per Inch (tpi):
18
Port Thread Class:
2b
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A34200