NSN 2530-00-940-7400

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2530-00-940-7400 **Body Material:** Any acceptable First End Outside Diameter: 0.625 inches **Bore Diameter:** 3.000 inches **Body Outside Diameter:** 3.360 inches **Overall Diameter:** 3.000 inches First End External Thread Length: 1.620 inches **Second End Hole Diameter:** 0.876 inches **Second End Thickness At Mounting Holes:** 2.000 inches **Compressed Length:** 17.810 inches **Extended Length:** 27.812 inches **Pressure Rating:** 1000.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: External threaded First Piston Rod End Thread Series Designator: Unf First Piston Rod End Thread Diameter: 0.875 inches First Piston Rod End Thready Qty Per Inch (tpi): 14 **First Piston Rod End Thread Class:** 2a **First Piston Rod End Thread Direction:** Right-hand Piston Rod End Similarity: Not identical

Second Piston Rod End Style:

Tongue type

NSN 2530-00-940-7400

Linear Actuating Cylinder Assembly - Page 2 of 2



Mounting Type And Location:
Tongue cylinder head end
Port Location And Quantity:
1 piston rod end
Port Thread Series Designator:
Nptf
Port Pipe Thread Size:
0.375 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A34200