## NSN 2530-01-289-3588

Friction Lining - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/2530-01-289-3588

Width:
Between 1.980 inches and 2.000 inches
Thickness:
Between 0.400 inches and 0.410 inches
Hole Arrangement Style:
Double even
Mounting Hole Diameter:
0.260 inches
End Application:
2310-00-177-9256
Lining Style:
Segment plain
Minor Radius:
Between 4.170 inches and 4.175 inches
Application Type:
<b>Application Type:</b> Dry
Dry
Dry Hole Type And Quantity:
Dry Hole Type And Quantity: 2 counterbored
Dry Hole Type And Quantity: 2 counterbored Attachment Method:
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method:  Bolted
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method: Bolted  Special Features:
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method:  Bolted  Special Features:  Non-asbestos material mix
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method: Bolted  Special Features: Non-asbestos material mix  Shelf Life:
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method: Bolted  Special Features: Non-asbestos material mix  Shelf Life: N/a
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method: Bolted  Special Features: Non-asbestos material mix  Shelf Life: N/a  Unit Of Measure:
Dry  Hole Type And Quantity: 2 counterbored  Attachment Method: Bolted  Special Features: Non-asbestos material mix  Shelf Life: N/a  Unit Of Measure:

A230a0