

View Online at <https://aerobasegroup.com/nsn/2540-00-555-9230>

Mounting Type:

Any acceptable

Heat Medium Type:

Air

Heat Outlet Quantity:

1

Heat Delivery Direction:

Vertical

Heat Discharge Outlet Type:

Stationary

Heat Directing Device:

Fixed louver

Air Circulation Device:

Squirrel cage blower

Speed Adjustments:

Two speed

Maximum Air Flow Rate:

225.0 cubic feet per minute

Circulated Air Type:

Heated

Radio Interference Suppression Type:

Army, mil-e-53301, radio suppression

Flue Connection Location:

On top 9.625 in. From base

Width:

8.156 inches

Current Type:

Dc

Depth:

24.188 inches

Prime Mover Type:

Gasoline engine

Operating Control Type:

Thermostatic

Current Rating In Amps:

9.0

Heating Element Type:

Combustion chamber

Ignition Method:

Electrode

Inclosure Material:

Any acceptable

Fuel Consumption Rate Per Hour:

Not rated

Heat Delivery Rate:

60000.0 british thermal unit

Fuel Feed Method:

Internal pump

Voltage In Volts:

24.0

Fuel Type:

80/87 octane gasoline and 91/96 octane gasoline and 100/130 octane gasoline

Height:

11.750 inches

Quantity:

1

Surface Treatment:

Any acceptable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A01300