

View Online at <https://aerobasegroup.com/nsn/2540-00-880-8251>

Mounting Type:

Any acceptable

Heat Medium Type:

Air

Heat Outlet Quantity:

1

Heat Delivery Direction:

Horizontal

Heat Discharge Outlet Type:

Stationary

Heat Directing Device:

Adjustable louver

Air Circulation Device:

Squirrel cage blower

Speed Adjustments:

Single speed

Maximum Air Flow Rate:

80.0 cubic feet per minute

Circulated Air Type:

Heated

Radio Interference Suppression Type:

Army, mil-s-10379, radio suppression

Flue Connection Location:

On mtg bracket side 1.813in.From air discharge end

Width:

10.188 inches

Current Type:

Dc

Depth:

5.500 inches

Prime Mover Type:

Electric motor

Operating Control Type:

Hand switch

Current Rating In Amps:

4.1

Heating Element Type:

Combustion chamber

Ignition Method:

Glow plug

Inclosure Material:

Any acceptable

Fuel Consumption Rate Per Hour:

0.3 gallons

Heat Delivery Rate:

15000.0 british thermal unit

Fuel Feed Method:

External pump

Voltage In Volts:

12.0

Fuel Type:

Jp-4 jet fuel and df-a arctic diesel fuel oil

Height:

8.375 inches

Quantity:

1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A01300