NSN 2590-00-801-2355

Headlight Beam Selecting Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2590-00-801-2355

Body Style:
Hole mounted
Hazardous Locations/environmental Protection:
Watertight
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.510 inches
Body Length:
1.420 inches
Body Width:
2.660 inches
Body Height:
5.005 inches
Actuator Style:
Round
Actuator Diameter:
0.980 inches
Actuator Height:
1.620 inches
Actuator Free Position Height:
1.620 inches
Maximum Voltage Rating In Volts:
28.0 dc
End Application:
Grumman aerospace a-10 aircraft
Mounting Method:
Flange
Nonpile-up Contact Arrangement:
1 pole, double throw, both positions maintained single switch unit
Contact Load Current Rating At Maximum Rated Voltage:
15.000 amperes resistive dc
Special Features:
3 mtg holes, and the other hole is 1.760 in. C to c distance between mtg facilities parallel to the lg
Terminal Type And Quantity:
3 connector, receptacle
Specification Or Standard:
2 type and 3 arrangement and b class and 1 grade
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No

NSN 2590-00-801-2355

Headlight Beam Selecting Switch - Page 2 of 2



Fiig:

A053a0