

View Online at <https://aerobasegroup.com/nsn/2805-00-078-2683>

**Cross Sectional Shape:**

I-section type

**Fabrication Method:**

Machined

**Metallic Hardness Rating:**

60.0 rockwell c and 62.0 rockwell c

**Shaft Connecting End Style:**

Automotive standard split bearing 2 bolt

**End Thickness:**

Between 1.005 inches and 1.011 inches

**Edge Radius:**

Between 1.124 inches and 1.130 inches

**End Hole Inside Diameter:**

Between 0.8745 inches and 0.8750 inches

**Piston Connecting End Bearing:**

Included

**Bearing Replaceability:**

Replaceable

**Piston Connecting End Lubrication Drill Feature:**

Included

**Piston Connecting End Lubrication Method:**

Oil vapor

**Shaft Connecting End Bearing:**

Included

**Shaft Connecting End Hole Inside Diameter:**

Between 1.5000 inches and 1.5005 inches

**Shaft Connecting End Edge Radius:**

1.950 inches

**Shaft Connecting End Width:**

Between 2.371 inches and 2.376 inches

**Shaft Connecting End Thickness:**

Between 0.812 inches and 0.814 inches

**Shaft Connecting End Bearing Replaceability:**

Replaceable

**Shaft Connecting End Lubrication Drill Feature:**

Included

**Shaft Connecting End Lubrication Method:**

Forced-feed

**Center To Center Effective Length:**

Between 4.247 inches and 4.253 inches

**Piston End Connection Style:**

Small engine and automotive standard

**Material:**

Steel

**Material:**

Steel

**Fsc Application Data:**

Engine, gasoline, nonaircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T267-d