NSN 2805-00-267-4673

Gasoline Engine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-267-4673 **Cylinder Quantity: Standard Bore Diameter:** 5.7500 inches **Cooling Medium:** Liquid **Fording Feature:** Not included **Accessory Components And Quantity:** V3 air cleaner; 1 base mounting; 3 carburetor; 2 cooler, lubricating oil; 4 filter, lubricating oil; 1 generator, battery charging; 1 governor; 8 pumps, 6 electric, 2 mechanical; 2 pump, lubricating oil; 2 pump, sea water; 2 distributors **Reverse Speed Quantity:** 1 **Cylinder Arrangement:** Single v-type Stroke Length: 7.0000 inches **Strokes Per Cycle: Brake Horsepower At Specificationified Rpm:** 450.0000 bhp at 1800.000 rpm **Direct Raw Water Cooling Feature:** Included **Closed System Hull Cooling Feature:** Not included **Cylinder Head Type:** I-head **Fuel Induction Type:** Carburetor **Ignition Type:** Battery **Dual Ignition System:** Included **Crankshaft Rotation Direction:** Clockwise **Starting Method:** Electrical Supercharger:

Flywheel Housing: Included

Not included Flywheel: Included

NSN 2805-00-267-4673

Gasoline Engine - Page 2 of 2



Reduction Gear:
Not included
Fluid Coupling:
Not included
Transmission:
Included
Transmission Type:
Manual
Forward Speed Quantity:
1
Overdrive:
Not included
Cross Drive:
Not included
Clutch:
Included
Main Power Takeoff Rotation Direction:
Clockwise
Engineheight:
47.200 inches
Enginelength:
88.000 inches
Enginewidth:
45.400 inches
Starter:
Included
Electromagnetic Interference Suppression:
Not provided
Voltage In Volts:
24.0
Special Features:
Deep oil sump, sea water cooled, bilge pump atchd
Weight:
3600.000 pounds
Reference Number Differentiating Characteristics:
Cooling medium, starting method, accessory components and quantity, and special features requirements
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
T197-a