

View Online at <https://aerobasegroup.com/nsn/2805-00-274-3408>

Head Style:

Concave

Head Height:

Between 0.2620 inches and 0.2820 inches

Chamfer Angle In Deg:

45.0

Chamfer Length:

0.0312 inches

Taper Angle In Deg:

20.0

Outside Diameter:

Between 0.7470 inches and 2.7530 inches

Minor Outside Diameter:

0.3906 inches

Minor Diameter Length:

Any acceptable

Seat Angle In Deg:

30.0

Stem Style:

Tapered multi-grooved

Carbon Relief Groove:

Not included

Neck Radius:

0.8750 inches

Stem Length:

Between 5.8340 inches and 5.8390 inches

Stem Diameter:

Between 0.5270 inches and 0.5280 inches

Distance From First Groove To Stem End:

0.1490 inches

Distance From Second Groove To Stem End:

0.3090 inches

Distance From Third Groove To Stem End:

0.4690 inches

First Groove Diameter:

Between 0.3390 inches and 0.3440 inches

Second Groove Diameter:

Between 0.3390 inches and 0.3440 inches

Third Groove Diameter:

Between 0.3390 inches and 0.3440 inches

First Groove Width:

Between 0.1000 inches and 0.1020 inches

Second Groove Width:

Between 0.1000 inches and 0.1020 inches

Third Groove Width:

Between 0.1000 inches and 0.1020 inches

Material And Location:

Steel stem

Metallic Hardness Rating And Location:

80.0 rockwell c tip

Fsc Application Data:

Gasoline engine

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A11200