NSN 2805-00-356-1338

Cross Sectional Shape:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-356-1338

I-section type
Fabrication Method:
Cast and machined
Shaft Connecting End Style:
Automotive standard split bearing 2 bolt
End Thickness:
0.800 inches
Edge Radius:
0.380 inches
End Hole Inside Diameter:
0.490 inches
Piston Connecting End Bearing:
Included
Bearing Replaceability:
Nonreplaceable
Piston Connecting End Lubrication Drill Feature:
Not included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
0.751 inches
Shaft Connecting End Edge Radius:
0.634 inches
Shaft Connecting End Width:
1.595 inches
Shaft Connecting End Thickness:
0.988 inches
Shaft Connecting End Bearing Replaceability:
Nonreplaceable
Shaft Connecting End Lubrication Drill Feature:
Not included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
3.250 inches
Body Width At Piston Connecting End:
0.430 inches
Body Width At Shaft Connecting End:
0.625 inches

NSN 2805-00-356-1338

Piston Connecting Rod - Page 2 of 2



Body Thickness At Piston Connecting End: 0.425 inches Body Thickness At Shaft Connecting End: 0.425 inches Piston End Connection Style: Small engine and automotive standard Material: Aluminum alloy Material: Aluminum alloy Shelf Life: N/a Unit Of Measure: --Demilitarization:

No **Fiig:** T267-d