NSN 2805-00-406-2244

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-406-2244

| Cross Sectional Shape: |
|--|
| I-section type |
| Fabrication Method: |
| Cast |
| Shaft Connecting End Style: |
| Automotive standard split bearing 2 bolt |
| End Thickness: |
| 0.625 inches |
| Edge Radius: |
| 0.375 inches |
| End Hole Inside Diameter: |
| 0.375 inches |
| Piston Connecting End Bearing: |
| Included |
| Bearing Replaceability: |
| Replaceable |
| Piston Connecting End Lubrication Drill Feature: |
| Included |
| Piston Connecting End Lubrication Method: |
| Splash |
| Shaft Connecting End Bearing: |
| Not included |
| Shaft Connecting End Hole Inside Diameter: |
| 0.625 inches |
| Shaft Connecting End Edge Radius: |
| 1.375 inches |
| Shaft Connecting End Width: |
| 0.500 inches |
| Shaft Connecting End Thickness: |
| 0.781 inches |
| Shaft Connecting End Lubrication Drill Feature: |
| Included |
| Shaft Connecting End Lubrication Method: |
| Splash |
| Center To Center Effective Length: |
| 3.062 inches |
| Body Width At Piston Connecting End: |
| 0.469 inches |
| Body Width At Shaft Connecting End: |
| 0.594 inches |
| Body Thickness At Piston Connecting End: |

0.344 inches

NSN 2805-00-406-2244

Piston Connecting Rod - Page 2 of 2



Body Thickness At Shaft Connecting End: 0.344 inches Piston End Connection Style: Small engine and automotive standard Material: Brass Material: Copper alloy Shelf Life: N/a Unit Of Measure: - Demilitarization:

No **Fiig:** T267-d