NSN 2805-00-422-6104

Cylinder Sleeve - Page 1 of 2

Between 0.250 inches and 0.252 inches

Chamfer Angle In Deg:

Chamfer Length:

Flange Thickness:

0.063 inchesOverall Length:9.250 inches

30.0



View Online at https://aerobasegroup.com/nsn/2805-00-422-6104

Taper Length:
0.625 inches
Undercut Diameter:
Between 4.244 inches and 4.246 inches
Taper Minor Diameter:
4.094 inches
Bore Diameter:
Between 3.875 inches and 3.876 inches
Body Length:
6.125 inches
Body Outside Diameter:
4.313 inches
Metallic Hardness Rating:
217.0 rockwell c and 241.0 rockwell c
Flange Outside Diameter:
Between 4.732 inches and 4.735 inches
Design Type:
Wet
Bottom Chamfer Angle In Deg:
30.0
Bottom Chamfer Length:
0.063 inches
Valve Recess:
Not included
Top Inside Chamfer:
Included
Bottom Inside Chamfer:
Included
Top Intake Port:
Not included
Largest Outside Diameter Under Flange:
Between 4.494 inches and 4.496 inches
Largest Outside Diameter Width Under Flange:
0.188 inches

NSN 2805-00-422-6104

Cylinder Sleeve - Page 2 of 2



Intake Hole:
Not included
Special Features:
Material sae g3500
Material:
Iron, cast
Material:
Iron cast
Style Designator:
Dry, flanged, relieved, shouldered, installation chamfer
Fsc Application Data:
Gasoline reciprocating engines, except aircraft; and components
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T267-b