
NSN 2805-00-424-3394

Piston Connecting Rod - Page 1 of 2





Cross Sectional Shape: I-section type **Fabrication Method:** Forged Shaft Connecting End Style: Automotive standard split bearing 2 bolt End Thickness: 1.062 inches **Edge Radius:** 0.500 inches End Hole Inside Diameter: 0.688 inches **Piston Connecting End Bearing:** Included **Bearing Replaceability:** Nonreplaceable **Piston Connecting End Lubrication Drill Feature:** Not included **Piston Connecting End Lubrication Method:** Splash **Shaft Connecting End Bearing:** Included Shaft Connecting End Hole Inside Diameter: 1.000 inches Shaft Connecting End Edge Radius: 0.781 inches Shaft Connecting End Width: 2.125 inches Shaft Connecting End Thickness: 1.094 inches Shaft Connecting End Bearing Replaceability: Nonreplaceable Shaft Connecting End Lubrication Drill Feature: Included Shaft Connecting End Lubrication Method: Splash **Center To Center Effective Length:** 5.750 inches Body Width At Piston Connecting End: 0.812 inches Body Width At Shaft Connecting End: 0.938 inches

NSN 2805-00-424-3394

Piston Connecting Rod - Page 2 of 2



Body Thickness At Piston Connecting End:

0.625 inches

Body Thickness At Shaft Connecting End:

0.625 inches

Piston End Connection Style:

Small engine and automotive standard

Special Features:

Includes lockplate and oil dipper

Material:

Aluminum

Material:

Aluminum

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T267-d