NSN 2805-00-610-3002

Cross Sectional Shape:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-610-3002

I-section type
Fabrication Method:
Any acceptable
Shaft Connecting End Style:
2 bolt mounted solid sleeve
End Thickness:
1.000 inches
Edge Radius:
0.469 inches
End Hole Inside Diameter:
0.312 inches
Piston Connecting End Bearing:
Not included
Piston Connecting End Lubrication Drill Feature:
Not included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Not included
Shaft Connecting End Hole Inside Diameter:
0.594 inches
Shaft Connecting End Edge Radius:
0.812 inches
Shaft Connecting End Width:
2.188 inches
Shaft Connecting End Thickness:
1.125 inches
Shaft Connecting End Lubrication Drill Feature:
Not included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
4.188 inches
Body Width At Piston Connecting End:
0.875 inches
Body Width At Shaft Connecting End:
1.000 inches
Body Thickness At Piston Connecting End:
0.625 inches
Body Thickness At Shaft Connecting End:
0.625 inches

NSN 2805-00-610-3002

Piston Connecting Rod - Page 2 of 2



Piston End Connection Style: Small engine and automotive standard Material: Aluminum Material: Aluminum Shelf Life: N/a Unit Of Measure: -Demilitarization:

No **Fiig:** T267-d