NSN 2805-00-651-2707

Valve Spring Retainer Lock - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-651-2707 **Casehardening Indicator:** Not casehardened **Overall Height:** 0.388 inches **Thread Provision:** Unthreaded Largest Inside Diameter: 0.380 inches **Largest Outside Diameter:** 0.512 inches **Minimum Inside Diameter:** 0.315 inches First Ridge Radius: 0.030 inches Second Ridge Radius: 0.030 inches Third Ridge Radius: 0.030 inches **Distance Between First And Second Ridge Centers:** 0.110 inches **Distance Between Second And Third Ridge Centers:** 0.110 inches **Distance Between Second And Third Groove Centers:** 0.110 inches **Distance From Bottom To First Ridge Center:** 0.038 inches First Ridge Width: 0.060 inches Second Ridge Width: 0.060 inches Third Ridge Width: 0.060 inches **Outside Included Angle In Deg:** 14.0 **Special Features:** Same as style 37 except item has four ridges; fourth ridge 0.030 in.Radius, 0.060 in.Wide, 0.110 in.Distance between 3rd and 4th ridge, 0.020 in. From center of ridge to the top Material: Steel Material:

Style Designator:

Steel

Straight bore w/three ridges

NSN 2805-00-651-2707

Valve Spring Retainer Lock - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T267-h