NSN 2805-00-691-9711

Cross Sectional Shape:

Fabrication Method:

I-section type

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-00-691-9711

Any acceptable
Shaft Connecting End Style:
2 bolt mounted solid sleeve
End Thickness:
1.344 inches
Edge Radius:
1.000 inches
End Hole Inside Diameter:
0.750 inches
Piston Connecting End Bearing:
Included
Bearing Replaceability:
Replaceable
Piston Connecting End Lubrication Drill Feature:
Included
Piston Connecting End Lubrication Method:
Splash
Shaft Connecting End Bearing:
Included
Shaft Connecting End Hole Inside Diameter:
1.375 inches
Shaft Connecting End Edge Radius:
2.125 inches
Shaft Connecting End Width:
4.375 inches
Shaft Connecting End Thickness:
2.000 inches
Shaft Connecting End Bearing Replaceability:
Replaceable
Shaft Connecting End Lubrication Drill Feature:
Not included
Shaft Connecting End Lubrication Method:
Splash
Center To Center Effective Length:
9.438 inches
Body Width At Piston Connecting End:
1.219 inches
Body Width At Shaft Connecting End:
1.563 inches

NSN 2805-00-691-9711

Piston Connecting Rod - Page 2 of 2



Body Thickness At Piston Connecting End:
0.906 inches
Body Thickness At Shaft Connecting End:
0.969 inches
Piston End Connection Style:
Small engine and automotive standard
Material:
Steel
Material:
Steel
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T267-d