

View Online at <https://aerobasegroup.com/nsn/2805-00-737-1234>

Thread Direction:

Right-hand

Casehardening Indicator:

Casehardened

Concentric Hole Depth:

Between 2.453 inches and 2.515 inches

Concentric Hole Diameter:

Between 0.398 inches and 0.413 inches

Overall Length:

2.875 inches

Thread Size:

3/8-24

Body Outside Diameter:

0.624 inches

Body Groove Width:

0.120 inches

Spherical Radius:

30.000 inches

Screw Thread Series Designator:

Unf

Screw Thread Length:

Between 0.625 inches and 0.750 inches

Flats Length:

0.219 inches

Size Designation:

Standard

Casehardened Location:

Face

Material And Location:

Steel, aisi/sae 5120

Adjustability:

Adjustable

Operation Method:

Mechanical

Width Across Flats:

Between 0.490 inches and 0.500 inches

Metallic Hardness Rating And Location:

58.0 rockwell c face

Adjusting Device:

Included

Cam End Diameter:

Between 1.302 inches and 1.317 inches

Cam End Height:

Between 0.115 inches and 0.125 inches

Body Groove Diameter:

Between 0.590 inches and 0.595 inches

Distance From Body Groove Center To Cam End:

1.425 inches

Style Designator:

Internal thread and wrenching flats push rod end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T267-f