

View Online at <https://aerobasegroup.com/nsn/2805-00-741-2867>

**Casehardening Indicator:**

Casehardened

**Concentric Hole Depth:**

Between 1.705 inches and 1.725 inches

**Concentric Hole Diameter:**

Between 1.690 inches and 1.710 inches

**Overall Length:**

Between 1.895 inches and 1.905 inches

**Boss Diameter:**

Between 0.490 inches and 0.510 inches

**Body Groove Width:**

Between 0.590 inches and 0.610 inches

**Spherical Radius:**

30.000 inches

**Size Designation:**

Standard

**Casehardened Location:**

**Material And Location:**

Steel, cast

**Adjustability:**

Nonadjustable

**Operation Method:**

Mechanical

**Metallic Hardness Rating And Location:**

55.0 rockwell c and 60.0 rockwell c

**Cam End Diameter:**

Between 1.9170 inches and 1.9172 inches

**Distance From Boss Face To Cam End:**

Between 0.2060 inches and 0.2079 inches

**Body Hole Diameter:**

Between 0.240 inches and 0.260 inches

**Distance From Body Hole Center To Cam End:**

Between 1.250 inches and 1.270 inches

**Body Groove Diameter:**

Between 1.895 inches and 1.905 inches

**Distance From Body Groove Center To Cam End:**

Between 0.890 inches and 0.910 inches

**Style Designator:**

Chamfered, concentric hole push rod end

**Fsc Application Data:**

Engine, gasoline, nonaircraft

**Reference Number Differentiating Characteristics:**

As differentiated by distance from boss face to cam end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T267-f