NSN 2805-01-037-5436

Cross Sectional Shape:

Piston Connecting Rod - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2805-01-037-5436

Cross Sectional Snape.	
Flat type	
Fabrication Method:	
Any acceptable	
Metallic Hardness Rating:	
60.0 rockwell c and 62.0 rockwell c	
Shaft Connecting End Style:	
2 bolt sleeved	
End Thickness:	
0.375 inches	
Edge Radius:	
0.360 inches	
End Hole Inside Diameter:	
0.562 inches	
Piston Connecting End Bearing:	
Not included	
Piston Connecting End Lubrication Drill Featur	e:
Not included	
Piston Connecting End Lubrication Method:	
Splash	
Shaft Connecting End Bearing:	
Not included	
Shaft Connecting End Hole Inside Diameter:	
0.625 inches	
Shaft Connecting End Edge Radius:	
0.410 inches	
Shaft Connecting End Width:	
1.232 inches	
Shaft Connecting End Thickness:	
0.375 inches	
Shaft Connecting End Lubrication Drill Feature	:
Included	
Shaft Connecting End Lubrication Method:	
Splash	
Center To Center Effective Length:	
2.500 inches	
Body Width At Piston Connecting End:	
0.380 inches	
Body Width At Shaft Connecting End:	
0.380 inches	
Body Thickness At Piston Connecting End:	
0.200 inches	

NSN 2805-01-037-5436

Piston Connecting Rod - Page 2 of 2



Body Thickness At Shaft Connecting End:

0.200 inches

Piston End Connection Style:

Small engine and automotive standard

Material:

Any acceptable

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T267-d