

View Online at <https://aerobasegroup.com/nsn/2810-00-118-9306>

**Countersink Angle In Deg:**

43.0 and 47.0

**Counterbore Diameter:**

Between 0.648 inches and 0.658 inches

**Counterbore Depth:**

Between 0.177 inches and 0.197 inches

**Overall Length:**

Between 3.146 inches and 3.166 inches

**Outside Diameter:**

Between 0.990 inches and 1.010 inches

**Bore Diameter:**

Between 0.6130 inches and 0.6160 inches

**Metallic Hardness Rating:**

85.0 rockwell f

**Major Diameter Length:**

Between 0.084 inches and 0.104 inches

**Counterbore Location:**

Bb end

**Countersink Length:**

Between 0.021 inches and 0.041 inches

**Bore Countersink:**

Not included

**Countersink Location:**

Aa end

**Bore Counterbore:**

Included

**Aa End Diameter:**

Between 0.796 inches and 0.802 inches

**Bb End Shank Diameter:**

Between 0.817 inches and 0.818 inches

**Length From Aa End To Largest Diameter Face:**

Between 0.759 inches and 0.803 inches

**Special Features:**

1 external groove, bb end, under flange, 0.037 in. Min, 0.057 in. Maxw, 0.793 in. Min, 0.803 in. Maximum dia

**Material:**

Bronze, ams 4845 or bronze, ams 4846

**Material:**

Bronze, ams 4845 or copper alloy 905

**Material Specification:**

Ams 4846 assn standard 2nd material response

**Style Designator:**

Plain-shouldered

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T267-e