NSN 2810-00-513-0033

Valve Stem Guide - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/2810-00-513-0033



| View Online at https://aerobasegroup.com/nsn/2810-00-51 |
|---|
| Countersink Angle In Deg: |
| 60.0 |
| Overall Length: |
| 2.310 inches |
| Outside Diameter: |
| 0.813 inches |
| Bore Diameter: |
| Between 0.3950 inches and 0.3970 inches |
| Metallic Hardness Rating: |
| 80.0 rockwell f |
| Major Diameter Length: |
| 0.095 inches |
| Countersink Diameter: |
| 0.420 inches |
| Bore Countersink: |
| Included |
| Countersink Location: |
| Aa end and bb end |
| Bore Counterbore: |
| Not included |
| Aa End Diameter: |
| Between 0.6033 inches and 0.6038 inches |
| Bb End Shank Diameter: |
| 0.590 inches |
| Bb End Chamfer Length: |
| 0.030 inches |
| Bb End Chamfer Angle In Deg: |
| 45.0 |
| Aa End Chamfer Length: |
| 0.090 inches |
| Aa End Chamfer Angle In Deg: |
| 8.0 |
| Shoulder First Fillet Radius: |
| 0.020 inches |
| Shoulder Second Fillet Radius: |
| 0.020 inches |
| Length From Aa End To Largest Diameter Face: |
| 1.560 inches |
| Material: |
| Copper, lycoming-spencer div of avco, lumen no. 48 |
| Material: |
| Copper, lycoming-spencer div of avco, lumen no. 48 |
| |

NSN 2810-00-513-0033

Valve Stem Guide - Page 2 of 2

Style Designator:

Plain-shouldered

Fsc Application Data:

Engine, aircraft, reciprocating

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

Т267-е

