

View Online at <https://aerobasegroup.com/nsn/2815-00-554-1404>

Cylinder Quantity:

6

Standard Bore Diameter:

4.250 inches

Cooling Medium:

Liquid

Fording Feature:

Not included

Accessory Components And Quantity:

Xair cleaners 2; cooler, fresh water 1; cooler, lubricating oil 1; filter, fuel oil 1; filters, lubricating oil 2; governor, speed regulator 1; pan, oil 1; pump, fresh water 1; pump, fuel transfer 1; pump, sea water 1; tank, expansion water 1

Cylinder Arrangement:

Straight in-line

Stroke Length:

5.000 inches

Strokes Per Cycle:

2

Brake Horsepower At Specificationified Rpm:

165 bhp at 1800 rpm

Direct Raw Water Cooling Feature:

Not included

Closed System Hull Cooling Feature:

Not included

Piston Action Type:

Single acting

Multifuel Usage Feature:

Not provided

Crankshaft Rotation Direction:

Counterclockwise

Direct Reversible Feature:

Not included

Starting Method:

Air

Supercharger:

Not included

Flywheel:

Included

Flywheel Housing:

Included

Reduction Gear:

Not included

Fluid Coupling:

Not included

Transmission:

Not included

Clutch:

Not included

Main Power Takeoff Rotation Direction:

Counterclockwise

Engineheight:

44.250 inches

Enginlength:

50.000 inches

Enginewidth:

27.000 inches

Starter:

Included

Special Features:

Nonmagnetic materials used in construction of engine; forward, starboard engine of quad model 24908

Reference Number Differentiating Characteristics:

As differentiated by accessory components and quantity, starting method, and special features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T197-a