NSN 2815-00-678-3203

Valve Stem Guide - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2815-00-678-3203

Countersink Angle In Deg:
90.0
Shoulder Diameter:
Between 0.778 inches and 0.784 inches
Shoulder Length:
0.160 inches
Overall Length:
3.440 inches
Outside Diameter:
1.125 inches
Bore Diameter:
Between 0.4830 inches and 0.4850 inches
Metallic Hardness Rating:
85.0 rockwell b
Major Diameter Length:
Between 0.122 inches and 0.128 inches
Countersink Diameter:
0.562 inches
Bore Countersink:
Included
Countersink Location:
Aa end and bb end
Bore Counterbore:
Not included
Aa End Diameter:
Between 0.745 inches and 0.750 inches
Bb End Shank Diameter:
0.689 inches
Bb End Chamfer Length:
0.031 inches
Bb End Chamfer Angle In Deg:
45.0
Aa End Chamfer Length:
0.031 inches
Aa End Chamfer Angle In Deg:
45.0
Shoulder First Fillet Radius:
0.031 inches
Shoulder Second Fillet Radius:
0.062 inches
Fillet Step Radius:
0.031 inches

NSN 2815-00-678-3203

Valve Stem Guide - Page 2 of 2



Length From Aa End To Largest Diameter Face:

Between 1.302 inches and 1.308 inches

Special Features:

Aa end spiral groove pitch-30 per in., depth 3.190 in.Depth, bb end 5 degrees taper 0.120 to 0.190 in.Lg

Material:

Aluminum bronze, qq-b-679, comp 2

Material:

Aluminum bronze, qq-b-679, comp 2

Style Designator:

Plain-stepped shoulder

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T267-e