

View Online at <https://aerobasegroup.com/nsn/2815-00-892-5084>

Cylinder Quantity:

6

Standard Bore Diameter:

4.250 inches

Cooling Medium:

Liquid

Fording Feature:

Not included

Accessory Components And Quantity:

Blower assembly, rh 1, and gear assembly, marine hydraulic mh30l 1, and governor1, and heat exchanger 1, and heater and pump, air 1, and injector, fuel 6, and pump, fresh water 1, and pump, fuel transfer 1, and pump, raw water 1

Reverse Speed Quantity:

1

Cylinder Arrangement:

Straight in-line

Stroke Length:

5.000 inches

Strokes Per Cycle:

2

Brake Horsepower At Specificationified Rpm:

210 bhp at 2100 rpm

Direct Raw Water Cooling Feature:

Not included

Closed System Hull Cooling Feature:

Included

Piston Action Type:

Single acting

Multifuel Usage Feature:

Not provided

Crankshaft Rotation Direction:

Clockwise

Direct Reversible Feature:

Not included

Starting Method:

Electrical

Supercharger:

Not included

Flywheel:

Included

Flywheel Housing:

Included

Reduction Gear:

Included

Fluid Coupling:

Not included

Transmission:

Included

Transmission Type:

Hydraulically actuated

Speed Range Quantity:

2

Forward Speed Quantity Per Range:

1

Cross Drive:

Not included

Clutch:

Not included

Main Power Takeoff Rotation Direction:

Counterclockwise

Reduction Gear Ratio:

3.05 to 1

Starter:

Not included

Special Features:

Starboard side mtd lcu, engine furnished w/o air cleaner, crankshaft pulley, generator, instrument panel package, instrument panel, tachometer cable package

Reference Number Differentiating Characteristics:

As differentiated by the accessory components requirement

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T197-a