

View Online at <https://aerobasegroup.com/nsn/2815-00-935-4669>

**Cylinder Quantity:**

12

**Standard Bore Diameter:**

4.250 inches

**Cooling Medium:**

Liquid

**Fording Feature:**

Not included

**Accessory Components And Quantity:**

Cooler, fresh water 1; coolers, lubricating oil 2; filter, fuel oil 1; filters, lubricating oil 3; governor, speed regulator 1; pan, oil 1; pump, fresh water 1; pump, fuel transfer 1; pump, lubricating oil 1; pump, sea water 1; strainer, fuel oil 1; tank, expansion water 1

**Reverse Speed Quantity:**

1

**Cylinder Arrangement:**

Single v-type

**Stroke Length:**

5.000 inches

**Strokes Per Cycle:**

2

**Brake Horsepower At Specificationified Rpm:**

400 bhp at2100 rpm

**Direct Raw Water Cooling Feature:**

Not included

**Closed System Hull Cooling Feature:**

Not included

**Piston Action Type:**

Single acting

**Multifuel Usage Feature:**

Not provided

**Crankshaft Rotation Direction:**

Counterclockwise

**Direct Reversible Feature:**

Not included

**Starting Method:**

Electrical

**Supercharger:**

Not included

**Flywheel:**

Included

**Flywheel Housing:**

Included

**Reduction Gear:**

Included

**Fluid Coupling:**

Not included

**Transmission:**

Included

**Transmission Type:**

Hydraulically actuated

**Speed Range Quantity:**

1

**Forward Speed Quantity Per Range:**

1

**Cross Drive:**

Not included

**Clutch:**

Included

**Main Power Takeoff Rotation Direction:**

Counterclockwise

**Reduction Gear Ratio:**

2.0 to 1

**Engineheight:**

58.875 inches

**Enginlength:**

95.000 inches

**Enginewidth:**

45.500 inches

**Starter:**

Included

**Voltage In Volts:**

24.0

**Special Features:**

W/n70 injectors; w/fuel cooler; cw alternator, 60 amp

**Reference Number Differentiating Characteristics:**

As differentiated by, modified for high-shock

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T197-a