NSN 2825-00-227-9611

Steam Turbine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2825-00-227-9611

Exhaust Pressure:
28.00 inches of mercury
Mounting Position:
Horizontal
Shaft Rotation Direction:
Clockwise
Ahead Stage Design:
Reaction
Ahead Rated Horsepower At Specificationified Rpm:
2115 shaft hp at 6819 rpm
Astern Rated Horsepower At Specificationified Rpm:
1200 shaft hp at 4483 rpm
Astern Turbine Location:
Forward end of low pressure turbine
Ahead Reaction Stage Quantity:
6
Ahead Reaction Stage Rotation Blade Row Quantity:
6
Ahead Flow Type:
Single
Astern Stage Design:
Impulse
Astern Rotation Blade Row Quantity:
2
Astern Stationary Blade Row Quantity:
1
Astern Flow Type:
Single
Ahead Initial Steam Gage Pressure:
22.0 pounds per square inch
Astern Initial Steam Gage Pressure:
410.0 pounds per square inch
Ahead Initial Steam Temp:
380.0 degrees fahrenheit
Astern Initial Steam Temp:
725.0 degrees fahrenheit
Lube Oil Cooler Assembled Form:
Separate
Throttle Valve Assembled Form:
Separate
Reference Number Differentiating Characteristics:
A14

Akct

NSN 2825-00-227-9611

Steam Turbine - Page 2 of 2



	L -	11		ife	_
3	ne	п	_	пе	Ξ

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T197-c