NSN 2825-00-227-9617

Steam Turbine - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2825-00-227-9617

Exhaust Pressure:
2.55 pounds per square inch gage
Mounting Position:
Horizontal
Shaft Rotation Direction:
Clockwise
Ahead Stage Design:
Reaction
Ahead Rated Horsepower At Specificationified Rpm:
15400 shaft hp at 4792 rpm
Astern Rated Horsepower At Specificationified Rpm:
6000 shaft hp at 2571 rpm
Astern Turbine Location:
Aft end of low pressure turbine
Ahead Reaction Stage Quantity:
9
Ahead Reaction Stage Rotation Blade Row Quantity:
18
Ahead Flow Type:
Double
Astern Stage Design:
Impulse
Astern Rotation Blade Row Quantity:
4
Astern Stationary Blade Row Quantity:
Astern Stationary Blade Row Quantity:
•
2
2 Astern Flow Type:
2 Astern Flow Type: Double
2 Astern Flow Type: Double Ahead Initial Steam Gage Pressure:
2 Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure:
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp:
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp: 416.0 degrees fahrenheit
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp: 416.0 degrees fahrenheit Astern Initial Steam Temp:
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp: 416.0 degrees fahrenheit Astern Initial Steam Temp: 675.0 degrees fahrenheit
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp: 416.0 degrees fahrenheit Astern Initial Steam Temp: 675.0 degrees fahrenheit Reduction Gear Assembled Form:
Astern Flow Type: Double Ahead Initial Steam Gage Pressure: 42.0 pounds per square inch Astern Initial Steam Gage Pressure: 525.0 pounds per square inch Ahead Initial Steam Temp: 416.0 degrees fahrenheit Astern Initial Steam Temp: 675.0 degrees fahrenheit Reduction Gear Assembled Form: Separate

Separate

NSN 2825-00-227-9617

Steam Turbine - Page 2 of 2

T197-c



Reference Number Differentiating Characteristics:
Akct
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: