NSN 2910-01-167-2932

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2910-01-167-2932

Mounting Type:
Bracket w/drilled hole head side
Mounting Hole Diameter:
10.30 millimeters
Mounting Hole Quantity:
4
Body Outside Diameter:
120.8 millimeters
Body Height:
341.0 millimeters
Distance Between Mounting Hole Centers:
124.0 millimeters
End Application:
Nsn 2320-01-303-2277 pls (palletized loading system)
Design Type:
Reusable
Bracket Quantity:
1
Filtering Element Quantity:
1
Maximum Operating Pressure:
31.0 pounds per square inch
Criticality Code Justification:
Feat
First Intake Connection Type:
Threaded internal tube head
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.312 inches
First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:
2b
First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
Full flow
Special Features:
Weapon system essential

NSN 2910-01-167-2932

Fluid Filter - Page 2 of 2



Material:
Steel body

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

Quick-disconnect shell

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A24000